

Honduras



Energy Efficiency Policy Assessment for Lighting, Residential Refrigerators, Room Air Conditioners, Distribution Transformers and Industrial Motors.

| $\langle \rangle$ | Lighting | | | | |
|--|----------|---|-------------------|---------------------------|--------|
| | | Policy Description | Policy Type | Mandatory or voluntary | Status |
| Minimum Energy Performance | | NHN 9:2011 and NHN 10:2011 | MEPS | Voluntary | |
| Supporting Policy | | Bulk procurement and distribution CFLs | | | |
| | | NHN 9:2011 and NHN 10:2011 | Label Comparative | Voluntary | |
| Monitoring, verification and enforcement | | | | | |
| Environmentally sound management | | | | | |

Comments: For more details please visit http://map.enlighten-initiative.org/

| Ī | Refrigerators | | | | |
|--|-----------------------|---|---------------------------------|---------------------------|------------------|
| | | Policy Description | Policy Type | Mandatory or Voluntary | Status |
| Minimum Energy Performance | | NHL 11: 2008 maximum power consumption | MEPS | Mandatory | Implmented -2009 |
| Supporting Policy | | NHL 12: 2008 Labelling | Label Comparative | Mandatory | Implmented -2009 |
| Monitoring, verification and enforcement | | NHN 13:2008/ NHN 16:2008 | Specification/Testing procedure | Mandatory | Implmented -2011 |
| Environm sound ma | nentally anagement | | | | |

Comments:

| Room A | Room Air Conditioners | | | | |
|--|--------------------------------|---------------------------------------|---------------------------|-------------------|--|
| | Policy Description | Policy Type | Mandatory or voluntary | Status | |
| Minimum Energy Performance | | | | | |
| Supporting Policy | NHN 45: 2011 ranges Efficiency | Energy Performance Classes | Mandatory | Implemented -2011 | |
| Supporting Policy | NHN 46: 2011 Labelling | Label Comparative | Mandatory | Implemented -2011 | |
| Monitoring, verification and enforcement | NHN 47: 2011 Test Methods | Specification of testing procedure | Mandatory | Implemented -2011 | |
| Environmentally sound management | | | | | |
| Comments: | | | | | |



Honduras



Energy Efficiency Policy Assessment for Lighting, Residential Refrigerators, Room Air Conditioners, Distribution Transformers and Industrial Motors.

Distribution Transformer

| | Policy Description | Policy Type | Mandatory or voluntary | Status |
|--|--------------------|-------------|---------------------------|--------|
| Minimum Energy Performance | | | | |
| Supporting Policy | | | | |
| Supporting Policy | | | | |
| Monitoring, verification and enforcement | | | | |
| Environmentally sound management | | | | |

Comments: No information found on policies or strategies for energy efficient Distribution Transformer

| Industrial Electric Motor | | | | | |
|--|--------------------|-------------|---------------------------|--------|--|
| | Policy Description | Policy Type | Mandatory or Voluntary | Status | |
| Minimum Energy Performance | | | | | |
| Currenting Deligu | | | | | |
| Supporting Policy | | | | | |
| Monitoring, verification and enforcement | | | | | |
| Environmentally sound management | | | | | |

Comments: No information found on policies or strategies for energy efficient Industrial Electric Motor