



Kazakhstan



Energy efficiency benefits from lighting, residential refrigerators, room air conditioners, power and distribution transformers and industrial electric motors with the implementation of globally benchmarked minimum energy performance standards.

ANNUAL SAVINGS IN 2030



Reduce electricity use

→ by over **6 TWh**

→ **5.2%** of future national electricity use



Save electricity worth **430 Million USD**

equivalent to **13 Power Plants [100MW]**



Reduce CO₂ emissions by **5 Million Tonnes**

equivalent to **3 Million Passenger Cars**



SHARE OF EACH TYPE PRODUCT TO THE COUNTRY'S TOTAL SAVINGS IN 2030



17%

Lighting



19%

Residential Refrigerators



2%

Room Air Conditioners



35%


Transformer



27%

Industrial Electric Motor









EVEN GREATER SAVINGS POSSIBLE WITH BEST AVAILABLE TECHNOLOGY











THE PATHWAY TO ENERGY EFFICIENCY






ANNUAL SAVINGS IN 2025 AND 2030

											
		Lighting		Residential Refrigerators		Room Air Conditioners		Transformers		Industrial Electric Motors	
		2025	2030	2025	2030	2025	2030	2025	2030	2025	2030
	Electricity (GWh)	859.4	971.6	624.2	1,137.5	83.3	160.8	1,082.9	2,032.7	715.0	1,585.1
	Electricity Bills (million US\$)	69.4	78.5	50.4	91.9	6.7	13.0	87.5	164.2	36.1	80.0
	CO2 Emissions (thousand tonnes)	922.9	1,043.5	670.4	1,221.7	89.5	172.7	1,007.1	868.0	767.9	1,702.4

CUMULATIVE SAVINGS (2020 - 2030)

											
		Lighting		Residential Refrigerators		Room Air Conditioners		Transformers		Industrial Electric Motors	
			Electricity (TWh)	7.7		6.6		0.9		12.0	
	Electricity Bills (million US\$)	623.8		533.8		73.1		969.9		414.4	
	CO2 Emissions (million tonnes)	8.3		7.1		1.0		5.1		8.8	

OTHER BENEFITS IN 2030

	Direct GHG emissions reduced by	→	578 Thousand Tonnes
	Reduced electricity subsidies by	→	50 Million USD
	Reduced emissions by	→	SO2 32 Thousand Tonnes NOx 17 Thousand Tonnes

ENERGY EFFICIENCY STRATEGY AND NATIONALLY DETERMINED CONTRIBUTION

The Law "On Energy Saving and Energy Efficiency" of the Republic of Kazakhstan adopted in January 2012, includes a number of important provisions regarding promotion of energy efficient appliances and equipment like MEPS and mandatory energy label. The Government of Kazakhstan adopted in 2013 the State Programme "Energy Saving 2020" which aims at achieving 10% annual reduction of GDP energy intensity and 40% reduction in energy intensity by 2020 (as compared to year 2008).

Country Nationally Determined Contribution (NDC): A 25% reduction in GHG emissions by 31 December 2030 compared to the base year; Base year 1990.

Country Specific Data and Input Assumptions For Kazakhstan



GENERAL INFORMATION

Population	17.5 million
GDP per capita	23,114 US\$
Electrification level	100%
CO2 Emission Factor	0.93 kg / kWh

ELECTRICITY MARKET

Residential Electricity tariff	0.081 US\$ / kWh
Industrial Electricity tariff	0.051 US\$ / kWh
Transmission and distribution loss factor	13.41%

ASSUMPTIONS

Product	Unit Energy Consumption (kWh/year) or Efficiency Level			Type of Product
	BAU	Policy Scenario	BAT	
Lighting	65.7	15.3	8.8	Low incandescent Lamp,3h/day; 14W CFL; 8W LED
Residential Refrigerators	450	212	139	2-door top-mount Average size 300 liters
Room Air Conditioners	638	461	302	Split unit with 3.5 kW cooling capacity
Transformers	N/A	SEAD Tier3	SEAD Tier5	three-phase and single-phase liquid-filled and three-phase dry-type power and distribution transformer
Industrial Electric Motors	IE1/IE0	IE3	IE4	3-phase induction motors Ranging from: 0.75 - 7.5 kW; 7.5 - 75 kW; 75 - 375 kW

METHODOLOGY

The analysis uses CLASP's and Lawrence Berkeley National Laboratory's Policy Analysis Modeling System (PAMS) to forecast the impacts from implementing policies that improve the energy efficiency of new household air conditioners and refrigerators. For lighting, electric motors, and power and distribution transformers individual - models were developed, taking into account country level data, expected GDP growth, and industrialization levels. The savings potential assumes minimum energy performance standards (MEPS) are implemented in 2020 at level equivalent to the present day (2015) best global MEPS that are currently implemented. The graph on page two also shows the savings potential that is possible with the implementation of MEPS in 2020 at level equivalent to the present day best available technology (BAT).

ASSUMPTIONS AND DATA SOURCES

- Population and GDP per capita data (2014) comes from the World Bank.
- Electrification levels come from the International Energy Agency (IEA).
- Market size was determined by data provided by industry partners; UN Comtrade database; household penetration forecasts generated by PAMS from population, climate, and macroeconomic indicators.
- Future electricity consumption was calculated using current consumption figures provided by the IEA and the U.S. Energy Information Administration (EIA).
- Baseline price, unit energy consumption (UEC), appliance lifetime were provided by country representatives (when available); industry partners; and Lawrence Berkeley National Laboratory. The business-as-usual scenario assumes a 1 per cent annual improvement in UEC.
- Electricity tariffs were provided by the IEA; and Internet research.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- CO2 emission factor came from the IEA and extrapolations were made for countries lacking data.
- Consumer discount rate was derived from the Human Development Index, United Nations Development Programme (2012).
- The approach of calculating the potential direct emission saving of refrigerators and air conditioners: the typical current mix of refrigerants fillings, leakage rates and end of life emissions in the BAU compared to the best alternative with natural refrigerants (mostly R290 for splits and R600a for domestic refrigerators).
- Additional to the above sources, a questionnaire was used to gather data from country officials.

