



### **China**





A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

## Reduce electricity use by over 140 TWh which is 2.6% of current national electricity use Save electricity worth 11 Billion US\$ equivalent to over 64 Power Plants [500MW each] Reduce electricity CO<sub>2</sub> emissions by over 160 Million tonnes equivalent to 92 Million Passenger Cars




<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario. U4E COUNTRY ASSESSMENT, SEPTEMBER 2019


#### **AND EVEN MORE BENEFITS**



#### THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE



#### MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS



#### OTHER BENEFITS ACHIEVED IN 2030\*



Reduced electricity subsidies by

Reduced direct GHG emissions by

640 Million US\$

**82 Million tonnes** 

<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario. U4E COUNTRY ASSESSMENT, SEPTEMBER 2019

#### **DETAILED BENEFITS**



ANNUAL SAVINGS IN 2030 AND 2040*											
I		Lighting		Cooling			Equip		ment	(7)	
				Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
4	Electricity (TWh)	19	2.8	27	52	45	89	44	97	5.4	12
<u>*</u>	Electricity Bills (Million US\$)	1.5	220	2,100	4,000	3,500	6,800	3,400	7,500	410	940
-	CO2 Emissions (Million tonnes)	31	3.3	31	61	53	100	52	110	6.3	14

#### **CUMULATIVE SAVINGS BY 2030 AND 2040\*** Cooling Equipment Lighting Residential Room Air Industrial Distribution Refrigerators **Conditioners Electric Motors Transformers** 2030 2030 2040 2040 2030 2040 2030 2040 2030 2040 Electricity (TWh) 130 260 140 560 240 950 240 960 28 120 **Electricity Bills** 10 20 74 2.2 11 43 19 73 19 9.1 (Billion US\$) **CO2** Emissions 160 310 170 660 290 1,100 280 1,100 33 140 (Million tonnes)

# CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040 Residential Refrigerators Room Air Conditoners Business as Usual Minimum Ambition Scenario 0 20,000 40,000 60,000 80,000 100,000 120,000 140,000

Cumulative electricity use from each product (PWh)

<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario. U4E COUNTRY ASSESSMENT, SEPTEMBER 2019

## **Country Data and Input Assumptions**



GENERAL INFORMATIO	N	ELECTRICITY MARKET	ELECTRICITY MARKET				
Population	1.41 Billion	Residential Electricity tariff	0.08 US\$ / kWh				
GDP per capita	9,771 US\$						
Electrification level	100.0%	Transmission and	5.5%				
CO2 Emission Factor	1.11 kg / kWh	distribution loss factor					

#### **ASSUMPTIONS**

			Unit Energy Consumption (kWh/year) or Efficiency Level							
Product		Business As Usual		Minimum Ambition Scenario		High Ambition Scenario		Type of Product		
Lighting		GSL	15W CFL	15	10W LED	10	7W LED	7	800 lumen light bulb: 1,000 hrs/year	
돧		Linear	36W T8	108	20W LED	60	16W LED	48	4 foot tube: 3,000 hrs/year	
Lig		HID	70W HPS	307	50W LED	219	40W LED	175	Poletop street light: 4,380hrs/year	
Cooling		Residential Refrigerators	228		188		148		2-door refrigerator freezer of average size 235 liters	
	<b>(3)</b>	Room Air Conditioners	891		927		595		A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 3.9 kW	
Equipment		Industrial Electric Motors IE2 (IEC level)			IE3		IE4		3-phase induction motors used in the industrial sector	
Equip	<b>(</b> *)	Distribution Transformers (Model regulation level)	See note		See note		Level 2		Three-phase and single-phase liquid- filled and three-phase dry-type power distribution transformers	

Lighting Note: China has exisiting MEPS for all products covered in the Minimum Ambition Scenario so T5 lamps are also phased out in that scenario for this analysis.

Cooling Note: The minimum ambition scenario MEPS are set at a higher level than the model regulations for both products because China has exisiting MEPS at that level.

Distribution transformers Note: BAU is based on local MEPS for all types while the minimum ambition scenario level is set as half way between local MEPS and Level 2.

#### METHODOLOGY

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

#### ASSUMPTIONS AND DATA SOURCES

- Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.
- Population (2018 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the U.S. Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org













