











Myanmar




Product scope	Lighting	Cooling		Equipment	
	 All Lighting	 Residential Refrigerators	 Room Air Conditioners	 Industrial Electric Motors	 Distribution Transformers

A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

ANNUAL SAVINGS IN 2030*

	Reduce electricity use by over 2.5 TWh which is 22.4% of current national electricity use
	Save electricity worth 93 Million US\$ equivalent to over 1 Power Plant [500MW each]
	Reduce electricity CO ₂ emissions by over 780 Thousand tonnes equivalent to 430 Thousand Passenger Cars


ELECTRICITY SAVINGS OVER TIME*




* Denotes savings are from the Minimum Ambition Scenario.

AND EVEN MORE BENEFITS

THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE



MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS



OTHER BENEFITS ACHIEVED IN 2030*



Increased grid connection to

1300 Thousand households









Reduced direct GHG emissions by

340 Thousand tonnes







* Denotes savings are from the Minimum Ambition Scenario.

DETAILED BENEFITS


ANNUAL SAVINGS IN 2030 AND 2040*

		Lighting 		Cooling 				Equipment 			
				Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
	Electricity (GWh)	130	1.8	300	590	2,000	3,400	170	350	37	88
	Electricity Bills (Thousand US\$)	4.6	63	11,000	21,000	70,000	120,000	6,300	13,000	1,300	3,200
	CO2 Emissions (Tonnes)	91,000	530	91,000	180,000	590,000	1,000,000	52,000	110,000	11,000	27,000

CUMULATIVE SAVINGS BY 2030 AND 2040*

		Lighting 		Cooling 				Equipment 			
				Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
	Electricity (GWh)	1,600	1,900	1,600	6,300	11,000	39,000	980	3,700	190	830
	Electricity Bills (Million US\$)	57	68	57	230	390	1,400	35	130	6.9	30
	CO2 Emissions (Thousand tonnes)	480	570	470	1,900	3,200	12,000	290	1,100	57	250

CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040








* Denotes savings are from the Minimum Ambition Scenario.

Country Data and Input Assumptions



GENERAL INFORMATION		ELECTRICITY MARKET	
Population	53.4 Million	Residential Electricity tariff	0.04 US\$ / kWh
GDP per capita	1,326 US\$		
Electrification level	64.7%	Transmission and distribution loss factor	20.5%
CO2 Emission Factor	0.24 kg / kWh		

ASSUMPTIONS

Product			Unit Energy Consumption (kWh/year) or Efficiency Level						Type of Product
			Business As Usual		Minimum Ambition Scenario		High Ambition Scenario		
Lighting		GSL	15W CFL	15	10W LED	10	7W LED	7	800 lumen light bulb: 1,000 hrs/year
		Linear	36W T8	108	20W LED	60	16W LED	48	4 foot tube: 3,000 hrs/year
		HID	70W HPS	307	50W LED	219	40W LED	175	Poletop street light: 4,380hrs/year
Cooling		Residential Refrigerators		342		302		151	2-door refrigerator freezer of average size 250 liters
		 Room Air Conditioners		1,654		1,815		1,104	A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 4.2 kW
Equipment		Industrial Electric Motors (IEC level)		IE0		IE2		IE3	3-phase induction motors used in the industrial sector
		 Distribution Transformers (Model regulation level)		See note		Level 1		Level 2	Three-phase and single-phase liquid-filled and three-phase dry-type power distribution transformers

Distribution transformers Note: it is assumed that distribution transformers have losses in line with those assumed in the CENELEC harmonization research for the development of the EU standards.

METHODOLOGY

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

ASSUMPTIONS AND DATA SOURCES

- Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.
- Population (2018 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the U.S. Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's World Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org



* Denotes savings are from the Minimum Ambition Scenario.