Guatemala

U4E United for Efficiency

Product scope	Lighting	Cooling		Equipment	
	All Lighting	Residential Refrigerators	Room Air Conditioners	Industrial Electric Motors	Distribution Transformers

A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

ANNUAL SAVINGS IN 2030*

Reduce electricity use by over **990 GWh** which is **10.2%** of current national electricity use

Save electricity worth **210 Million US$** equivalent to over **2 Power Plants [100MW each]**

Reduce electricity CO_2 emissions by over **750 Thousand tonnes** equivalent to **420 Thousand Passenger Cars**

ELECTRICITY SAVINGS OVER TIME*

Legend: Lighting, Residential Refrigerators, Room Air Conditioners, Industrial Electric Motors, Distribution Transformers

Y-axis: Annual Electricity Savings (GWh)
X-axis: 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030

* Denotes savings are from the Minimum Ambition Scenario.
U4E COUNTRY ASSESSMENT, SEPTEMBER 2019

PAGE1

AND EVEN MORE BENEFITS

THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE

Annual Electricity Use (TWh)

— Business As Usual Scenario
— Minimum Ambition Scenario
— High Ambition Scenario

1.6 TWh
1 TWh

MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS

Reduced emissions from energy use of five products by over 20%

Annual CO₂ emissions in 2040 (tonnes)

Business as Usual	Minimum Ambition Scenario	High Ambition Scenario
9,070,000	7,900,000	7,170,000

OTHER BENEFITS ACHIEVED IN 2030*

Reduced electricity subsidies by **8.2 Million US$**

Reduced direct GHG emissions by **98 Thousand tonnes**

DETAILED BENEFITS

ANNUAL SAVINGS IN 2030 AND 2040*

| | | Lighting | | Cooling | | | | Equipment | | | |
| | | | | Residential Refrigerators | | Room Air Conditioners | | Industrial Electric Motors | | Distribution Transformers | |
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
⚡	Electricity (GWh)	190	11	450	870	180	310	160	350	22	54
	Electricity Bills (Million US$)	40	2.4	94	180	38	65	33	73	4.7	11
☁	CO2 Emissions (Thousand tonnes)	340	8.5	340	660	140	230	120	270	17	41

CUMULATIVE SAVINGS BY 2030 AND 2040*

| | | Lighting | | Cooling | | | | Equipment | | | |
| | | | | Residential Refrigerators | | Room Air Conditioners | | Industrial Electric Motors | | Distribution Transformers | |
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
⚡	Electricity (GWh)	2,500	3,100	2,400	9,400	980	3,600	840	3,400	110	500
	Electricity Bills (Million US$)	530	640	490	2,000	210	760	180	720	24	110
☁	CO2 Emissions (Thousand tonnes)	1,900	2,300	1,800	7,100	750	2,700	640	2,600	87	380

CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040

Cumulative electricity use from each product (TWh)

Legend: ■ Lighting ■ Residential Refrigerators ■ Room Air Conditoners ■ Industrial Electric Motors ■ Distribution Transformers

* Denotes savings are from the Minimum Ambition Scenario.

Country Data and Input Assumptions

GENERAL INFORMATION

Population	16.9 Million
GDP per capita	4,549 US$
Electrification level	93.3%
CO2 Emission Factor	0.69 kg / kWh

ELECTRICITY MARKET

Residential Electricity tariff	0.21 US$ / kWh
Transmission and distribution loss factor	9.5%

ASSUMPTIONS

Product	Unit Energy Consumption (kWh/year) or Efficiency Level			Type of Product
	Business As Usual	Minimum Ambition Scenario	High Ambition Scenario	
Lighting GSL Linear HID	15W CFL 15 36W T8 108 70W HPS 307	10W LED 10 20W LED 60 50W LED 219	7W LED 7 16W LED 48 40W LED 175	800 lumen light bulb: 1,000 hrs/year 4 foot tube: 3,000 hrs/year Poletop street light: 4,380hrs/year
Cooling Residential Refrigerators	471	307	154	2-door refrigerator freezer of average size 270 liters
Room Air Conditioners	1,027	1,133	687	A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 4.4 kW
Equipment Industrial Electric Motors (IEC level)	IE0	IE2	IE3	3-phase induction motors used in the industrial sector
Distribution Transformers (Model regulation level)	See note	Level 1	Level 2	Three-phase and single-phase liquid-filled and three-phase dry-type power distribution transformers

Distribution transformers Note: it is assumed that distribution transformers have losses in line with those assumed in the CENELEC harmonization research for the development of the EU standards.

METHODOLOGY

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

ASSUMPTIONS AND DATA SOURCES

■ Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.

■ Population (2018 and future forecasts) comes from the UN Population Division.

■ GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.

■ Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.

■ Current total electricity consumption comes from the World Bank and the U.S. Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.

■ Residential electricity tariffs are based on IEA data.

■ Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.

■ Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.

■ CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.

■ Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.

■ The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.

■ Additional to the above sources, a questionnaire was used to gather data from country officials.

■ In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org

* Denotes savings are from the Minimum Ambition Scenario.