



# Guyana





A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

# Reduce electricity use by over 130 GWh which is 15.6% of current national electricity use Save electricity worth 36 Million US\$ equivalent to over 1 Power Plant [20MW each] Reduce electricity CO<sub>2</sub> emissions by over 150 Thousand tonnes equivalent to 84 Thousand Passenger Cars




<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario. U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)


# AND EVEN MORE BENEFITS



## THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE



### MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS



### **OTHER BENEFITS ACHIEVED IN 2030\***



Increased grid connection to



Reduced annual electricity subsidies by



Reduced cumulative direct GHG emissions by

- **68 Thousand households**
- 5 Million US\$
- **6 Thousand tonnes**

## **DETAILED BENEFITS**



ANN	ANNUAL SAVINGS IN 2030 AND 2040*										
		Lighting	(3)	Coo		oling		Equip		ment ;	
				Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
4	Electricity (GWh)	17	1.2	17	32	89	150	9.4	23	2.3	5.4
<u>*</u>	Electricity Bills (Thousand US\$)	4,600	310	4,700	8,500	24,000	40,000	2,500	6,000	610	1,500
4	CO2 Emissions (Thousand tonnes)	19	1.3	20	35	100	170	11	25	2.6	6.1

### **CUMULATIVE SAVINGS BY 2030 AND 2040\*** Cooling Equipment Lighting 4 Residential **Room Air** Industrial Distribution Refrigerators **Conditioners Electric Motors Transformers** 2030 2030 2040 2040 2030 2040 2030 2040 2030 2040 Electricity (GWh) 230 290 93 360 490 1,800 49 210 12 51 **Electricity Bills** 470 62 77 25 96 130 13 57 3.2 14 (Million US\$) **CO2** Emissions 260 320 100 400 550 2,000 55 240 13 57 (Thousand tonnes)

# ■ Lighting ■ Residential Refrigerators ■ Industrial Electric Motors ■ Distribution Transformers ■ Business as Usual Minimum Ambition Scenario High Ambition Scenario

5,000

CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040

0

Cumulative electricity use from each product (GWh)

15,000

20,000

25,000

10,000

<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario.
U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

# **Country Data and Input Assumptions**



GENERAL INFORMATION	N	ELECTRICITY MARKET	ELECTRICITY MARKET				
Population	782 Thousand	Residential Electricity tariff	0.27 US\$ / kWh				
GDP per capita	4,635 US\$						
Electrification level	87.0%	Transmission and	15.5%				
CO2 Emission Factor	0.95 kg / kWh	distribution loss factor					

AS	SSUMPT	IONS									
Product		Unit En Busines: Usua	s As	onsumption (kWh/yea Minimum Ambition Scenario		r) or Efficiency Level High Ambition Scenario		Type of Product			
Lighting	<b>③</b>	GSL Linear HID	15W CFL 36W T8 70W HPS	15 108 307	10W LED 20W LED 50W LED	10 60 219	7W LED 16W LED 40W LED	7 48 175	800 lumen light bulb: 1,000 hrs/year 4 foot tube: 3,000 hrs/year Poletop street light: 4,380hrs/year		
Cooling		Residential 47 Refrigerators			263		131		2-door refrigerator freezer of average size 270 liters		
COO	<b>3</b> 1	Room Air Conditioners	3,722		2,451		1,805		A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 4.5 kW		
Equipment		Industrial Electric Motors (IEC level)	IEO		IE2		IE3		3-phase induction motors used in the industrial sector		
Equip	7	Distribution Transformers (Model regulation level)	See note		Level 1		Level 2		Three-phase and single-phase liquid- filled and three-phase dry-type power distribution transformers		

Distribution transformers Note: it is assumed that distribution transformers have losses in line with those assumed in the CENELEC harmonization research for the development of the EU standards.

### **METHODOLOGY**

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

### **ASSUMPTIONS AND DATA SOURCES**

- Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.
- $\blacksquare$  Population (2019 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the US Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org













