



## **Jordan**





A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

# Reduce electricity use by over 990 GWh which is 4.6% of current national electricity use Save electricity worth 190 Million US\$ equivalent to over 2 Power Plants [100MW each] Reduce electricity CO<sub>2</sub> emissions by over 660 Thousand tonnes equivalent to 370 Thousand Passenger Cars




<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)


### AND EVEN MORE BENEFITS



### THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE



### MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS



### OTHER BENEFITS ACHIEVED IN 2030\*



Reduced cumulative direct GHG emissions by

**45 Thousand tonnes** 

<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario. U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

### **DETAILED BENEFITS**



ANNUAL SAVINGS IN 2030 AND 2040*											
		Lighting	(1)	Cooling		(A)	Equipment			7	
				Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
4	Electricity (GWh)	300	6.2	290	510	220	380	100	210	70	170
<u>*</u>	Electricity Bills (Million US\$)	57	1.2	56	96	42	73	20	40	13	32
4	CO2 Emissions (Thousand tonnes)	200	4.2	200	340	150	260	70	140	47	110

### **CUMULATIVE SAVINGS BY 2030 AND 2040\*** Cooling Equipment Lighting 4 Residential **Room Air** Industrial Distribution Refrigerators **Conditioners Electric Motors Transformers** 2030 2040 2030 2040 2030 2040 2030 2040 2030 2040 Electricity (TWh) 4.0 4.7 1.6 5.9 1.2 4.5 0.6 2.2 0.4 1.6 **Electricity Bills** 760 890 240 850 110 420 300 300 1,100 68 (Million US\$) **CO2** Emissions 2.7 3.1 1.1 4.0 8.0 3.0 0.4 1.5 0.2 1.1 (Million tonnes)

# CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040 Residential Refrigerators Industrial Electric Motors Business as Usual Minimum Ambition Scenario 0 40,000 80,000 120,000 160,000 200,000

Cumulative electricity use from each product (TWh)

<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario.
U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

# **Country Data and Input Assumptions**



GENERAL INFORMATIO	N	ELECTRICITY MARKET	ELECTRICITY MARKET					
Population	9.9 Million	Residential Electricity tariff	0.19 US\$ / kWh					
GDP per capita	4,248 US\$							
Electrification level	100.0%	Transmission and	10.7%					
CO2 Emission Factor	0.60 kg / kWh	distribution loss factor						
ASSUMPTIONS								

ASSUMPTIONS										
Product		Unit Energy Co Business As Usual		onsumption (kWh/yea   Minimum Ambition   Scenario		r) or Efficiency Level High Ambition Scenario		Type of Product		
Lighting	<b>③</b>	GSL Linear HID	15W CFL 36W T8 70W HPS	15 108 307	10W LED 20W LED 50W LED	10 60 219	7W LED 16W LED 40W LED	7 48 175	800 lumen light bulb: 1,000 hrs/year 4 foot tube: 3,000 hrs/year Poletop street light: 4,380hrs/year	
Cooling		Residential Refrigerators	485		278		139		2-door refrigerator freezer of average size 330 liters	
80	(A)	Room Air Conditioners	1,273		827		603		A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 6.4 kW	
Equipment		Industrial Electric Motors (IEC level)	IEO		IE2		IE3		3-phase induction motors used in the industrial sector	
Equip	7	Distribution Transformers (Model regulation level)	See note		Level 1		Level 2		Three-phase and single-phase liquid- filled and three-phase dry-type power distribution transformers	

Distribution transformers Note: it is assumed that distribution transformers have losses in line with those assumed in the CENELEC harmonization research for the development of the EU standards.

### **METHODOLOGY**

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

### **ASSUMPTIONS AND DATA SOURCES**

- Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.
- Population (2019 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the US Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org













