

Madagascar



Cooling




Residential Room Air Refrigerators Conditioners Energy efficiency benefits from residential refrigerators and room air conditioners with the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high) as detailed in the United Nations Environment Programme (UNEP) United For Efficiency (U4E) Model Regulation Guidelines.

ANNUAL SAVINGS IN 2030*

Y	Reduce electricity use by over 70 GWh which is 4.1% of current national electricity use				
4	Save electricity worth 2.8 Million US\$				
	equivalent to over 3 Power Plants [5MW each]				
	Reduce electricity CO ₂ emissions by over 71 Thousand tonnes				

equivalent to 40 Thousand Passenger Cars

EVEN GREATER SAVINGS POSSIBLE WITH MORE STRINGENT REGULATION



DETAILED BENEFITS




ANNUAL SAVINGS IN 2025, 2030 AND 2040*

		Residential Refrigerators			. (Room Air Conditioners			
		2025	2030	2040		2025	2030	2040	
4	Electricity (GWh)	18	41	83		14	29	55	
<u></u>	Electricity Bills (Million US\$)	0.7	1.6	3.3		0.6	1.2	2.2	
	CO2 Emissions (Thousand tonnes)	19	41	84		14	30	56	

CUMULATIVE SAVINGS BY 2030 AND 2040*

		📄 Residenti	al Refrigerators	Room Air	Conditioners	
		2030	2040	2030	2040	
4	Electricity (GWh)	210	870	160	610	
<u></u>	Electricity Bills (Million US\$)	8.4	35	6.3	24	
	CO2 Emissions (Thousand tonnes)	210	880	160	620	

CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040



■ Residential refrigerators ■ Room air conditoners

Country Data and Input Assumptions



N	ELECTRICITY MARKET	ELECTRICITY MARKET			
26.3 Million	Residential Electricity tariff	0.04 US\$ / kWh			
461 US\$	Transmission and	30.0%			
17.0%	distribution loss factor				
0.71 kg / kWh					
	461 US\$ 17.0%	26.3 MillionResidential Electricity tariff461 US\$Transmission and17.0%distribution loss factor			

ASSUMPTIONS

Unit Energy Consumption (kWh/year) or Efficiency Level
--

Product		Business As Usual	Minimum Ambition Scenario	High Ambition Scenario	Type of Product
0	Residential Refrigerators	300	224	148	2-door refrigerator-freezer of average size 350 liters
	Room Air Conditioners	813	526	386	A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 5 kW

Note: Local data suggests that refrigerator UECs are close to the model regulation guidelines so the minimum ambition scenario is set at a higher level here.

METHODOLOGY

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of new household air conditioners and refrigerators. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

ASSUMPTIONS AND DATA SOURCES

Market size was estimated by household ownership forecasts derived from population, climate, and macroeconomic indicators as described below. This data was validated by comparison with data from industry partners; the UN COMTRADE database and other market research.

- Population (2019 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the US Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org













