



# Myanmar





A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

# Reduce electricity use by over 1.8 TWh which is 9.6% of current national electricity use Save electricity worth 66 Million US\$ equivalent to over 4 Power Plants [100MW each] Reduce electricity CO<sub>2</sub> emissions by over 550 Thousand tonnes equivalent to 310 Thousand Passenger Cars




<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)


# AND EVEN MORE BENEFITS



## THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE



### MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS



### OTHER BENEFITS ACHIEVED IN 2030\*



Increased grid connection to

920 Thousand households

\*\*

Reduced cumulative direct GHG emissions by

**90 Thousand tonnes** 

<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario.
U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

# **DETAILED BENEFITS**

Electricity (TWh)

**Electricity Bills** 

(Thousand tonnes)

(Million US\$)
CO2 Emissions



ANNUAL SAVINGS IN 2030 AND 2040*											
		Lighting	<b>③</b>	Coo		ling			Equip	ment 🥳	
				Residential		Room Air		Industrial		Distribution	
				Refrigerators		Conditioners		Electric Motors		Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
4	Electricity (GWh)	170	2.4	300	590	1,200	2,000	140	290	60	150
<del>"</del>	Electricity Bills (Thousand US\$)	6,200	87	11,000	21,000	42,000	72,000	5,100	10,000	2,200	5,200
	CO2 Emissions (Tonnes)	52,000	730	91,000	180,000	350,000	600,000	43,000	87,000	18,000	44,000
CUMULATIVE SAVINGS BY 2030 AND 2040*											
		Lighting	<b>③</b>	Coo		oling			Equipment		7
				Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040

## CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040

2.2

78

650

2.6

92

770

1.6

57

470

6.3

230

1,900

6.4

230

1,900

23

840

7,000

8.0

29

240

3.0

110

900

0.3


11

94

1.4

49

410



Cumulative electricity use from each product (TWh)

<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

# Country Data and Input Assumptions



Three-phase and single-phase liquid-

filled and three-phase dry-type power

distribution transformers

GENERAL INFORMATIO	N	ELECTRICITY MARKET	ELECTRICITY MARKET				
Population	53.9 Million	Residential Electricity tariff	0.04 US\$ / kWh				
GDP per capita 1,326 US\$							
Electrification level	61.9%	Transmission and	20.5%				
CO2 Emission Factor	0.24 kg / kWh	distribution loss factor					

ASSUMPTIONS										
Product			Unit En Busines	•	onsumption (kWh/yea Minimum Ambition		r) or Efficiency High Amb		Type of Product	
		Usual		Scenario		Scenario				
ng		GSL	15W CFL	15	10W LED	10	7W LED	7	800 lumen light bulb: 1,000 hrs/year	
Lighting		Linear	36W T8	108	20W LED	60	16W LED	48	4 foot tube: 3,000 hrs/year	
Lig		HID	70W HPS	307	50W LED	219	40W LED	175	Poletop street light: 4,380hrs/year	
Cooling		Residential Refrigerators	342		259		129		2-door refrigerator freezer of average size 250 liters	
	(A)	Room Air Conditioners	3,417		2,229		1,661		A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 4.2 kW	
ment		Industrial Electric Motors (IEC level)	IEO		IE2		IE3		3-phase induction motors used in the industrial sector	

Distribution transformers Note: it is assumed that distribution transformers have losses in line with those assumed in the CENELEC harmonization research for the development of the EU standards.

Level 1

### **METHODOLOGY**

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

### **ASSUMPTIONS AND DATA SOURCES**

- Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.
- $\blacksquare$  Population (2019 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.

See note

- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the US Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.

Distribution

Transformers (Model regulation level)

- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org







Level 2







