

Mozambique



Cooling




Residential Room Air Refrigerators Conditioners Energy efficiency benefits from residential refrigerators and room air conditioners with the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high) as detailed in the United Nations Environment Programme (UNEP) United For Efficiency (U4E) Model Regulation Guidelines.

ANNUAL SAVINGS IN 2030*

F.	Reduce electricity use by over 290 GWh which is 2.1% of current national electricity use
4	Save electricity worth 36 Million US\$
	equivalent to over 3 Power Plants [20MW each]
	Reduce electricity CO ₂ emissions by over 420 Thousand tonnes

equivalent to 230 Thousand Passenger Cars

EVEN GREATER SAVINGS POSSIBLE WITH MORE STRINGENT REGULATION



DETAILED BENEFITS




ANNUAL SAVINGS IN 2025, 2030 AND 2040*

		i Residential Refrigerators			; (Room Air Conditioners			
		2025	2030	2040		2025	2030	2040	
4	Electricity (GWh)	52	110	210		96	190	300	
<u>*</u>	Electricity Bills (Million US\$)	6.2	13	25		12	22	36	
	CO2 Emissions (Thousand tonnes)	74	160	290		140	260	420	

CUMULATIVE SAVINGS BY 2030 AND 2040*

		Residenti	al Refrigerators	🐼 Room Air	Conditioners
		2030	2040	2030	2040
4	Electricity (TWh)	0.6	2.3	1.0	3.6
<u>+</u>	Electricity Bills (Million US\$)	70	270	130	440
	CO2 Emissions (Million tonnes)	0.8	3.2	1.5	5.2

CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040



■ Residential refrigerators ■ Room air conditoners

Country Data and Input Assumptions



N	ELECTRICITY MARKET	ELECTRICITY MARKET				
30.5 Million	Residential Electricity tariff	0.12 US\$ / kWh				
490 US\$	Transmission and	30.0%				
29.3%	distribution loss factor					
1.00 kg / kWh						
	30.5 Million 490 US\$ 29.3%	30.5 MillionResidential Electricity tariff490 US\$Transmission and29.3%distribution loss factor				

ASSUMPTIONS

Unit Energy Consumption	(kWh/year) or Efficiency Level
-------------------------	--------------------------------

	Product	Business As Usual	Minimum Ambition Scenario	High Ambition Scenario	Type of Product
0	Residential Refrigerators	340	247	123	2-door refrigerator-freezer of average size 210 liters
	Room Air Conditioners	3,198	2,049	1,503	A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 5 kW

METHODOLOGY

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of new household air conditioners and refrigerators. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

ASSUMPTIONS AND DATA SOURCES

Market size was estimated by household ownership forecasts derived from population, climate, and macroeconomic indicators as described below. This data was validated by comparison with data from industry partners; the UN COMTRADE database and other market research.

- Population (2019 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.

Current total electricity consumption comes from the World Bank and the US Energy Information Administration (EIA) with future forecasts derived from the

- International Energy Agency's (IEA) World Energy Outlook 2018. Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org













International Copper Association Copper Alliance

