



Paraguay





A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

Reduce electricity use by over 720 GWh which is 5.3% of current national electricity use Save electricity worth 52 Million US\$ equivalent to over 1 Power Plant [100MW each] Reduce electricity CO₂ emissions by over 770 Tonnes equivalent to 430 Passenger Cars




^{*} Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)


AND EVEN MORE BENEFITS



THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE



MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS



OTHER BENEFITS ACHIEVED IN 2030*



Reduced annual electricity subsidies by

1.7 Million US\$

**

Reduced cumulative direct GHG emissions by

28 Thousand tonnes

^{*} Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

DETAILED BENEFITS



ANNUAL SAVINGS IN 2030 AND 2040*											
ı				Cooling		Equipment 7					
					ential erators	Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
4	Electricity (GWh)	200	11	200	360	130	230	160	390	31	79
<u>*</u>	Electricity Bills (Thousand US\$)	15,000	810	14,000	26,000	9,400	16,000	12,000	28,000	2,300	5,700
	CO2 Emissions (Tonnes)	220	12	210	390	140	240	180	420	34	85

CUMULATIVE SAVINGS BY 2030 AND 2040*												
		Lighting	③	Coo		oling		Equipme		ment	nent 🥳	
				Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers		
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040	
4	Electricity (GWh)	2,700	3,300	1,000	4,000	710	2,600	870	3,700	160	720	
<u>*</u>	Electricity Bills (Million US\$)	200	240	75	290	51	190	62	270	12	52	
4	CO2 Emissions (Tonnes)	2,900	3,500	1,100	4,300	760	2,800	930	3,900	170	770	

■ Lighting ■ Residential Refrigerators ■ Industrial Electric Motors ■ Distribution Transformers ■ Business as Usual Minimum Ambition Scenario High Ambition Scenario

100,000

Cumulative electricity use from each product (TWh)

150,000

200,000

250,000

50,000

CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040

0

^{*} Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

Country Data and Input Assumptions



GENERAL INFORMATIO	N	ELECTRICITY MARKET	ELECTRICITY MARKET				
Population	6.9 Million	Residential Electricity tariff	0.07 US\$ / kWh				
GDP per capita 5,871 US\$							
Electrification level	100.0%	Transmission and	6.6%				
CO2 Emission Factor	2 Emission Factor 0.00 kg / kWh		0.0%				

			- 07							
ASSUMPTIONS										
			Unit En	oray C	oncumption (Wh Was	r) or Efficiency	, Lovol		
Product		Unit Energy Consumption (kWh/year) or Efficiency Level						- CD		
		Business As Usual		Minimum Ambition Scenario		High Ambition		Type of Product		
						Scenar	io			
5		GSL	15W CFL	15	10W LED	10	7W LED	7	800 lumen light bulb: 1,000 hrs/year	
Lighting		Linear	36W T8	108	20W LED	60	16W LED	48	4 foot tube: 3,000 hrs/year	
Ligi		HID	70W HPS	307	50W LED	219	40W LED	175	Poletop street light: 4,380hrs/year	
ing		Residential Refrigerators	471		263		131		2-door refrigerator freezer of average size 270 liters	
Cooling	(3)	Room Air Conditioners 1,263		3	848		621		A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 4.5 kW	
Equipment		Industrial Electric Motors (IEC level)	IEO		IE2		IE3		3-phase induction motors used in the industrial sector	
Equip	7	Distribution Transformers (Model regulation level)	See note		Level 1		Level 2		Three-phase and single-phase liquid- filled and three-phase dry-type power distribution transformers	

Distribution transformers Note: it is assumed that distribution transformers have losses in line with those assumed in the CENELEC harmonization research for the development of the EU standards.

METHODOLOGY

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

ASSUMPTIONS AND DATA SOURCES

- Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.
- \blacksquare Population (2019 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the US Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org













