



## **Palestine**





A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

# Reduce electricity use by over 360 GWh which is 5.2% of current national electricity use Save electricity worth 57 Million US\$ equivalent to over 4 Power Plants [20MW each] Reduce electricity CO<sub>2</sub> emissions by over 280 Thousand tonnes equivalent to 160 Thousand Passenger Cars




<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)


### AND EVEN MORE BENEFITS



### THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE



### MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS



### OTHER BENEFITS ACHIEVED IN 2030\*



Reduced cumulative direct GHG emissions by

13 Thousand tonnes

### **DETAILED BENEFITS**



ANNUAL SAVINGS IN 2030 AND 2040*											
ı		Lighting			Coo	ling	(A)		Equip	ment	7
					ential erators		m Air tioners		strial Motors	Distrib Transfo	oution ormers
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
4	Electricity (GWh)	130	4.3	130	230	51	97	26	66	22	55
<u>*</u>	Electricity Bills (Thousand US\$)	21,000	680	20,000	36,000	8,100	15,000	4,200	10,000	3,400	8,700
	CO2 Emissions (Thousand tonnes)	110	3.4	100	180	41	77	21	52	17	44

CUMULATIVE SAVINGS BY 2030 AND 2040*											
		Lighting	<b>(</b>	Cod		oling		Equip		ment 🤴	
				Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
4	Electricity (GWh)	1,800	2,100	690	2,600	270	1,100	140	600	110	500
<u>*</u>	Electricity Bills (Million US\$)	280	330	110	410	43	170	22	95	17	79
4	CO2 Emissions (Thousand tonnes)	1,400	1,700	550	2,100	220	840	110	480	85	400

# Elighting Residential Refrigerators Industrial Electric Motors Business as Usual High Ambition Scenario 10,000 20,000 30,000 40,000 50,000 60,000 70,000

Cumulative electricity use from each product (TWh)

<sup>\*</sup> Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

# **Country Data and Input Assumptions**



GENERAL INFORMATIO	N	ELECTRICITY MARKET	ELECTRICITY MARKET				
Population 5.05 Million		Residential Electricity tariff	0.16 US\$ / kWh				
GDP per capita 3,199 US\$							
Electrification level	100.0%	Transmission and	6.70/				
CO2 Emission Factor 0.74 kg / kWh		distribution loss factor	6.7%				

AS	SSUMPT	IONS							
Product		Unit En Busines Usua	s As	onsumption (kWh/yea Minimum Ambition Scenario		r) or Efficiency High Amb Scenar	oition	Type of Product	
Lighting	<b>③</b>	GSL Linear HID	15W CFL 36W T8 70W HPS	15 108 307	10W LED 20W LED 50W LED	10 60 219	7W LED 16W LED 40W LED	7 48 175	800 lumen light bulb: 1,000 hrs/year 4 foot tube: 3,000 hrs/year Poletop street light: 4,380hrs/year
Cooling		Residential Refrigerators	485 1,067		278 699		139 501		2-door refrigerator freezer of average size 330 liters
Coo		Room Air Conditioners							A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 6.4 kW
Equipment		Industrial Electric Motors (IEC level)	s IEO		IE2		IE3		3-phase induction motors used in the industrial sector
Equip	7	Distribution Transformers (Model regulation level)	See no	te	Level 1		Level 2		Three-phase and single-phase liquid- filled and three-phase dry-type power distribution transformers

Distribution transformers Note: it is assumed that distribution transformers have losses in line with those assumed in the CENELEC harmonization research for the development of the EU standards.

### **METHODOLOGY**

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

### **ASSUMPTIONS AND DATA SOURCES**

- Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.
- $\blacksquare$  Population (2019 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the US Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org













