



Uzbekistan





A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

Reduce electricity use by over 4.0 TWh which is 6.6% of current national electricity use Save electricity worth 57 Million US\$ equivalent to over 1 Power Plant [500MW each] Reduce electricity CO₂ emissions by over 2.6 Million tonnes equivalent to 1.5 Million Passenger Cars




^{*} Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)


AND EVEN MORE BENEFITS



THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE



MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS



OTHER BENEFITS ACHIEVED IN 2030*



Reduced annual electricity subsidies by

130 Million US\$

Reduced cumulative direct GHG emissions by 94 Thousand tonnes

^{*} Denotes savings are from the Minimum Ambition Scenario. U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

DETAILED BENEFITS



ANNUAL SAVINGS IN 2030 AND 2040*											
		Lighting	(1)	Cooling		ling	(A)	Equip		ment	7
			_	Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
4	Electricity (GWh)	550	32	1,500	2,600	390	700	1,500	2,900	240	510
<u>*</u>	Electricity Bills (Thousand US\$)	7,800	440	20,000	36,000	5,500	9,800	20,000	41,000	3,400	7,200
4	CO2 Emissions (Thousand tonnes)	350	20	930	1,700	250	450	930	1,900	150	330

CUMULATIVE SAVINGS BY 2030 AND 2040* Cooling Equipment Lighting 4 Residential **Room Air** Industrial Distribution Refrigerators **Conditioners Electric Motors Transformers** 2030 2030 2040 2040 2030 2040 2030 2040 2030 2040 Electricity (TWh) 7.8 8.0 7.2 8.9 29 2.1 7.7 30 1.3 5.2 **Electricity Bills** 110 420 100 130 110 410 30 110 18 72 (Million US\$) **CO2** Emissions 4.6 5.7 5.0 19 1.4 5.1 4.9 19 0.8 3.3 (Million tonnes)

■ Lighting ■ Residential Refrigerators ■ Industrial Electric Motors ■ Distribution Transformers Business as Usual Minimum Ambition Scenario High Ambition Scenario

400

600

Cumulative electricity use from each product (TWh)

800

1,000

1,200

CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040

200

0

^{*} Denotes savings are from the Minimum Ambition Scenario.
U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

Country Data and Input Assumptions



GENERAL INFORMATION	N	ELECTRICITY MARKET	ELECTRICITY MARKET				
Population	32.4 Million	Residential Electricity tariff	f 0.01 US\$ / kWh				
GDP per capita	1,532 US\$						
Electrification level	100.0%	Transmission and	8.8%				
CO2 Emission Factor	0.58 kg / kWh	distribution loss factor					

AS	SSUMPT	IONS									
Product		Unit En Busines: Usua	s As	onsumption (kWh/yea Minimum Ambition Scenario		r) or Efficiency Level High Ambition Scenario		Type of Product			
Lighting	③	GSL Linear HID	15W CFL 36W T8 70W HPS	15 108 307	10W LED 20W LED 50W LED	10 60 219	7W LED 16W LED 40W LED	7 48 175	800 lumen light bulb: 1,000 hrs/year 4 foot tube: 3,000 hrs/year Poletop street light: 4,380hrs/year		
Cooling		Residential 607			263		131		2-door refrigerator freezer of average size 270 liters		
COO	8 1	Room Air Conditioners	1,384		976		723		A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 5.2 kW		
Equipment		Industrial Electric Motors (IEC level)	IEO		IE2		IE3		3-phase induction motors used in the industrial sector		
Equip	7	Distribution Transformers (Model regulation level)	See note		Level 1		Level 2		Three-phase and single-phase liquid- filled and three-phase dry-type power distribution transformers		

Distribution transformers Note: it is assumed that distribution transformers have losses in line with those assumed in the CENELEC harmonization research for the development of the EU standards.

METHODOLOGY

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

ASSUMPTIONS AND DATA SOURCES

- Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.
- \blacksquare Population (2019 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the US Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org













