



Mexico





A summary of the benefits attained from improved energy efficiency through the implementation of Minimum Energy Performance Standards at two levels of ambition (minimum and high). More detailed reports for lighting, cooling and equipment can be downloaded from the United Nations Environment Programme (UNEP) United For Efficiency (U4E) website.

Reduce electricity use by over 11 TWh which is 3,8% of current national electricity use Save electricity worth 720 Million US\$ equivalent to over 5 Power Plants [500MW each] Reduce electricity CO₂ emissions by over 6,1 Million tonnes equivalent to 3,4 Million Passenger Cars




^{*} Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)


AND EVEN MORE BENEFITS



THE MORE AMBITIOUS THE REGULATION, THE MORE SAVINGS ARE POSSIBLE



MEET GLOBAL CLIMATE GOALS BY SIGNIFICANTLY DECREASED EMISSIONS



OTHER BENEFITS ACHIEVED IN 2030*



Reduced annual electricity subsidies by

510 Million US\$

*

Reduced cumulative direct GHG emissions by

1 Million tonnes

* Denotes savings are from the Minimum Ambition Scenario.
U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)


DETAILED BENEFITS



ANNUAL SAVINGS IN 2030 AND 2040*											
		Lighting	(1)	Cooling		(A)	Equip		ment	7	
			_	Residential Refrigerators		Room Air Conditioners		Industrial Electric Motors		Distribution Transformers	
		2030	2040	2030	2040	2030	2040	2030	2040	2030	2040
4	Electricity (GWh)	3 000	180	5 100	8 200	1 900	3 500	870	2 000	470	1 200
<u>*</u>	Electricity Bills (Million US\$)	190	11	330	520	120	230	56	130	30	74
4	CO2 Emissions (Thousand tonnes)	1 600	96	2 800	4 400	1 000	1 900	470	1 100	260	620

CUMULATIVE SAVINGS BY 2030 AND 2040* Cooling Equipment Lighting 4 Residential **Room Air** Industrial Distribution Refrigerators **Conditioners Electric Motors Transformers** 2030 2030 2040 2040 2030 2040 2030 2040 2030 2040 Electricity (TWh) 39 48 28 100 11 39 4,6 19 2,4 11 **Electricity Bills** 2 500 6 400 680 300 160 680 3 100 1 800 2 500 1 200 (Million US\$) **CO2** Emissions 21 26 15 54 5,7 21 2,5 10 1,3 5,8 (Million tonnes)

CONTRIBUTION TO CUMULATIVE ELECTRICITY USE BY 2040



Cumulative electricity use from each product (TWh)

^{*} Denotes savings are from the Minimum Ambition Scenario.

U4E COUNTRY ASSESSMENT, OCTOBER 2020 (UPDATE)

Country Data and Input Assumptions



GENERAL INFORMATIO	N	ELECTRICITY MARKET	ELECTRICITY MARKET				
Population	131 Million	Residential Electricity tariff	0,06 US\$ / kWh				
GDP per capita	9 698 US\$						
Electrification level	100,0%	Transmission and	13,7%				
CO2 Emission Factor	0,47 kg / kWh	distribution loss factor					

CO2 Emission Factor		0,47 kg / k	Wh		distribu	tion loss factor		23,7,7		
AS	SSUMPTI	IONS								
Product		Unit Energy Co Business As Usual		onsumption (kWh/yea Minimum Ambition Scenario		r) or Efficiency Level High Ambition Scenario		Type of Product		
Lighting	3	GSL Linear HID	15W CFL 36W T8 70W HPS	15 108 307	10W LED 20W LED 50W LED	10 60 219	7W LED 16W LED 40W LED	7 48 175	800 lumen light bulb: 1,000 hrs/year 4 foot tube: 3,000 hrs/year Poletop street light: 4,380hrs/year	
Cooling		Residential Refrigerators	471		263		131		2-door refrigerator freezer of average size 270 liters	
Coo	3 1	Room Air Conditioners	601		473		351		A mix of 3.5 kW and 7 kW split units with a weighted-average cooling capacity of 4,6 kW	
Equipment		Industrial Electric Motors (IEC level)	IE3		(IE3+IE4)/2		IE4		3-phase induction motors used in the industrial sector	
	7	Distribution Transformers (Model regulation level)	See note		See note		Level 2		Three-phase and single-phase liquid- filled and three-phase dry-type power distribution transformers	

Distribution transformers Note: BAU is based on local MEPS for all types while the minimum ambition scenario level is Level 1 for all types except single-phase liquid-filled which is set as half way between local MEPS and Level 2.

METHODOLOGY

The analysis uses the UNEP-U4E's Country Savings Assessment Models to estimate the impacts of implementing policies that improve the energy efficiency of each product analysed. The savings potential in each scenario assumes Minimum Energy Performance Standards (MEPS) are introduced in 2020 at two different levels of ambition (minimum and high) as shown above.

ASSUMPTIONS AND DATA SOURCES

- Market size is based on data from industry partners, the UN COMTRADE database and market penetration forecasts generated by U4E Country Savings Assessment Models using data on population, climate, income and other macroeconomic indicators as detailed below.
- \blacksquare Population (2019 and future forecasts) comes from the UN Population Division.
- GDP per capita data (2018) comes from the World Bank with future growth forecasts derived from the IPCC's SSP3 scenario.
- Cooling Degree Days are based on average monthly temperatures from weatherbase.com, degreedays.net or given by wunderground.com.
- Current total electricity consumption comes from the World Bank and the US Energy Information Administration (EIA) with future forecasts derived from the International Energy Agency's (IEA) World Energy Outlook 2018.
- Residential electricity tariffs are based on IEA data.
- Transmission and distribution loss factor is a regional average calculated from electricity production and consumption data published by the IEA.
- Electrification levels come from the IEA's Word Energy Outlook 2018 and the World Bank.
- CO2 emission factors come from the IEA and the Institute of Global Environmental Strategies (IGES) and are assumed constant in future years.
- Product typical characteristics are based on analysis from the UNEP-U4E Model Regulation Guidelines and other data from UNEP-U4E industry partners and technical experts including the US Lawrence Berkeley National Laboratory (LBNL), the International Copper Association (ICA) and GIZ.
- The approach of calculating the potential direct emissions saving of refrigerators and air conditioners is based on expert input from GIZ and LBNL.
- Additional to the above sources, a questionnaire was used to gather data from country officials.
- In a small number of instances, additional data was obtained from internet research or by using proxy data from similar markets.

Further details of the modelling approach and assumptions are available on the U4E website. For more information contact: U4E@un.org













